


[Converter](#)[Input \(IME\)](#)[Scripts Info](#)[Indic Matrix](#)[Semitic Matrix](#)[Indic Roman](#)[Semitic Roman](#)[Sample Texts](#)[Technical](#)[Web API](#)[Python package](#)[Documentation](#)[Website Plugin](#)[Help](#)[Download](#)[About](#)[Other Tools](#)


## Internal Documentation


Listed below are the script identifiers and various flags that you can use for advanced transliteration in the Web API and the Python pip package.


## Script Identifiers


Script Name	Script Identifier
Ahom	<i>Ahom</i>
Arabic	<i>Arab</i>
Ariyaka	<i>Ariyaka</i>
Assamese	<i>Assamese</i>
Avestan	<i>Avestan</i>
Balinese	<i>Balinese</i>
Batak Karo	<i>BatakKaro</i>
Batak Mandailing	<i>BatakManda</i>
Batak Pakpak	<i>BatakPakpak</i>
Batak Simalungun	<i>BatakSima</i>
Batak Toba	<i>BatakToba</i>
Bengali (Bangla)	<i>Bengali</i>
Bhaiksuki	<i>Bhaiksuki</i>
Brahmi	<i>Brahmi</i>


 Converter


 Input (IME)



 Scripts Info



 Indic Matrix

 Semitic Matrix

 Indic Roman

 Semitic Roman

 Sample Texts 

 Technical 


Web API


Python package



Documentation

Website Plugin


Help


 Download


 About


 Other Tools 


Buginese (Lontara)	<i>Buginese</i>
Buhid	<i>Buhid</i>
Burmese (Myanmar)	<i>Burmese</i>
Chakma	<i>Chakma</i>
Cham	<i>Cham</i>
Cyrillic (Russian)	<i>RussianCyrillic</i>
Devanagari	<i>Devanagari</i>
Dogra	<i>Dogra</i>
Elymaic	<i>Elym</i>
Ethiopic (Abjad)	<i>Ethi</i>
Gondi (Gunjala)	<i>GunjalaGondi</i>
Gondi (Masaram)	<i>MasaramGondi</i>
Grantha	<i>Grantha</i>
Grantha (Pandya)	<i>GranthaPandya</i>
Gujarati	<i>Gujarati</i>
Hanunoo	<i>Hanunoo</i>
Hatran	<i>Hatr</i>
Hebrew	<i>Hebrew</i>
Hebrew (Judeo-Arabic)	<i>Hebr-Ar</i>
Imperial Aramaic	<i>Armi</i>
Inscriptional Pahlavi	<i>Phli</i>
Inscriptional Parthian	<i>Prti</i>


 Converter


 Input (IME)


 Scripts Info


 Indic Matrix

 Semitic Matrix

 Indic Roman

 Semitic Roman

 Sample Texts

 Technical


Web API


Python package


Documentation

Website Plugin


Help


 Download


 About


 Other Tools


Japanese (Hiragana)	<i>Hiragana</i>
Japanese (Katakana)	<i>Katakana</i>
Javanese	<i>Javanese</i>
Kaithi	<i>Kaithi</i>
Kannada	<i>Kannada</i>
Kawi	<i>Kawi</i>
Khamti Shan	<i>KhamtiShan</i>
Kharoshthi	<i>Kharoshthi</i>
Khmer (Cambodian)	<i>Khmer</i>
Khojki	<i>Khojki</i>
Khom Thai	<i>KhomThai</i>
Khudawadi	<i>Khudawadi</i>
Lao	<i>Lao</i>
Lao (Pali)	<i>LaoPali</i>
Lepcha	<i>Lepcha</i>
Limbu	<i>Limbu</i>
Mahajani	<i>Mahajani</i>
Makasar	<i>Makasar</i>
Malayalam	<i>Malayalam</i>
Manichaeen	<i>Mani</i>
Marchen	<i>Marchen</i>
Meetei Mayek (Manipuri)	<i>MeeteiMayek</i>


 Converter


 Input (IME)


 Scripts Info


 Indic Matrix

 Semitic Matrix

 Indic Roman

 Semitic Roman

 Sample Texts ▼

 Technical ▲


Web API


Python package


Documentation

Website Plugin


Help


 Download


 About


 Other Tools ▼


Modi	<i>Modi</i>
Mon	<i>Mon</i>
Mongolian (Ali Gali)	<i>Mongolian</i>
Mro	<i>Mro</i>
Multani	<i>Multani</i>
Nabataean	<i>Nbat</i>
Nandinagari	<i>Nandinagari</i>
Newa (Nepal Bhasa)	<i>Newa</i>
Old North Arabian	<i>Narb</i>
Old Persian	<i>OldPersian</i>
Old Sogdian	<i>Sogo</i>
Old South Arabian	<i>Sarb</i>
Oriya (Odia)	<i>Oriya</i>
Pallava	<i>Pallava</i>
Palmyrene	<i>Palm</i>
Persian	<i>Arab-Fa</i>
PhagsPa	<i>PhagsPa</i>
Phoenician	<i>Phnx</i>
Psalter Pahlavi	<i>Phlp</i>
Punjabi (Gurmukhi)	<i>Gurmukhi</i>
Ranjana (Lantsa)	<i>Ranjana</i>
Rejang	<i>Rejang</i>


 Converter


 Input (IME)



 Scripts Info



 Indic Matrix

 Semitic Matrix

 Indic Roman

 Semitic Roman

 Sample Texts 

 Technical 


Web API


Python package



Documentation

Website Plugin

Help

 Download

 About

 Other Tools 

Rohingya (Hanifi)	<i>HanifiRohingya</i>
Roman (Baraha North)	<i>BarahaNorth</i>
Roman (Baraha South)	<i>BarahaSouth</i>
Roman (Colloquial)	<i>RomanColloquial</i>
Roman (DMG Persian)	<i>PersianDMG</i>
Roman (Harvard-Kyoto)	<i>HK</i>
Roman (IAST)	<i>IAST</i>
Roman (IAST: Pāḷi)	<i>IASTPali</i>
Roman (IPA Indic)	<i>IPA</i>
Roman (ISO 15919 Indic)	<i>ISO</i>
Roman (ISO 15919: Pāḷi)	<i>ISOPali</i>
Roman (ISO 233 Arabic)	<i>ISO233</i>
Roman (ISO 259 Hebrew)	<i>ISO259</i>
Roman (ITRANS)	<i>Itrans</i>
Roman (LoC Burmese)	<i>IASTLOC</i>
Roman (Readable)	<i>RomanReadable</i>
Roman (SBL Hebrew)	<i>HebrewSBL</i>
Roman (SLP1)	<i>SLP1</i>
Roman (Semitic Typeable)	<i>Type</i>
Roman (Semitic)	<i>Latn</i>
Roman (Titus)	<i>Titus</i>
Roman (Velthuis)	<i>Velthuis</i>

Converter

Input (IME)

Scripts Info

Indic Matrix

Semitic Matrix

Indic Roman

Semitic Roman

Sample Texts

Technical

Web API

Python package

Documentation

Website Plugin

Help

Download

About

Other Tools

Roman (WX)	<i>WX</i>
Samaritan	<i>Samr</i>
Santali (Ol Chiki)	<i>Santali</i>
Saurashtra	<i>Saurashtra</i>
Shahmukhi	<i>Shahmukhi</i>
Shan	<i>Shan</i>
Sharada	<i>Sharada</i>
Siddham	<i>Siddham</i>
Sinhala	<i>Sinhala</i>
Sogdian	<i>Sogd</i>
Sora Sompeng	<i>SoraSompeng</i>
Soyombo	<i>Soyombo</i>
Sundanese	<i>Sundanese</i>
Syloti Nagari	<i>SylotiNagri</i>
Syriac (Eastern)	<i>Syrn</i>
Syriac (Estrangela)	<i>Syre</i>
Syriac (Western)	<i>Syrj</i>
Tagalog	<i>Tagalog</i>
Tagbanwa	<i>Tagbanwa</i>
Tai Laing	<i>TaiLaing</i>
Takri	<i>Takri</i>
Tamil	<i>Tamil</i>

🔤

Converter

⌨️

Input (IME)

📄

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

📄

Indic Roman

📄

Semitic Roman

📖

Sample Texts

▼

🔧

Technical

▲

Web API

Python package

Documentation

Website Plugin

Help

⬇️

Download

ℹ️

About

🛠️

Other Tools

▼

Tamil (Extended)	<i>TamilExtended</i>
Tamil Brahmi	<i>TamilBrahmi</i>
Telugu	<i>Telugu</i>
Thaana (Dhivehi)	<i>Thaana</i>
Thai	<i>Thai</i>
Tham (Lanna)	<i>TaiTham</i>
Tham (Lao)	<i>LaoTham</i>
Tham (Tai Khuen)	<i>KhuenTham</i>
Tham (Tai Lue)	<i>LueTham</i>
Tibetan	<i>Tibetan</i>
Tirhuta (Maithili)	<i>Tirhuta</i>
Ugaritic	<i>Ugar</i>
Urdu	<i>Urdu</i>
Vatteluttu	<i>Vatteluttu</i>
Wancho	<i>Wancho</i>
Warang Citi	<i>WarangCiti</i>
Zanabazar Square	<i>ZanabazarSquare</i>

## Post Options

### Arabic

Remove Harakat عَائِدِي ← غَانِدِي	<i>removeDiacriticsArabic</i>
---------------------------------------	-------------------------------

🔤

Converter

⌨️

Input (IME)

📄

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

📄

Indic Roman

📄

Semitic Roman

📖

Sample Texts

🔧

Technical

🌐

Web API

📦

Python package

📖

Documentation

🌐

Website Plugin

📖

Help

📄

Download

📖

About

🏠

Other Tools

Remove Sukun at end of words هَند ← هُنْد	<i>removeSukunEnd</i>
--	-----------------------

Persian

Remove vowel diacritics	<i>removeDiacriticsArabic</i>
Remove Jazm at end of words هَند ← هُنْد	<i>removeSukunEnd</i>
/p g/ پ گ → /f j/ ف ج	<i>persianPaGaFaJa</i>

Syriac (Western)

Remove Majlīyānā ܐܝܝܢܐ → ܐܝܢܐ	<i>removeMajliyana</i>
Remove Rūkkāḳā ܕ → ܐ	<i>removeRukkaka</i>
Remove Quššāyā ܕ → ܐ	<i>removeQussaya</i>
Remove Vowel Diacritics ܐܝܝܢܐܝܝܢܐܝܝܢܐܝܝܢܐ → ܐܝܢܐܝܢܐܝܢܐܝܢܐ	<i>removeVowelsSyriac</i>

Syriac (Eastern)

Remove Majlīyānā ܐܝܝܢܐ → ܐܝܢܐ	<i>removeMajliyana</i>
Remove Rūkkāḳā ܕ → ܐ	<i>removeRukkaka</i>
Remove Quššāyā ܕ → ܐ	<i>removeQussaya</i>





Wartu Style (Tibetan)

འཕྲིན་པོ་ → འཕྲིན་པོ་

ranjanawartu

## Tamil

Disable ூ ூ → ூ²	<i>TamilDisableSHA</i>
Subscript numerals க²க³க⁴ → க2க3க4	<i>TamilSubScript</i>
Old orthography லை னா → லை னா	<i>oldtamilortho</i>
Grantha Visarga நம: → நமः	<i>TamilGranthaVisarga</i>
Disable ஓ ஓ → ஒம்	<i>TamilOmDisable</i>
Remove apostrophe ரு'ம்' → ரும்	<i>TamilRemoveApostrophe</i>
Remove diacritic numerals க²க³க⁴ → ககக	<i>TamilRemoveNumbers</i>
Contextual ள (Experimental) ப்ரலய → ப்ரளய	<i>ContextualLLa</i>
Only word-final ன ஆனனன் → ஆநநன்	<i>FinalNNa</i>
Dandas ... → । ॥	<i>RetainTamilDanda</i>
Tamil numerals 123 → க௨௩	<i>RetainTamilNumerals</i>



Converter



Input (IME)



Scripts Info



Indic Matrix



Semitic Matrix



Indic Roman



Semitic Roman



Sample Texts



Technical

Web API

Python package

Documentation

Website Plugin

Help



Download



About



Other Tools

🔤 Converter

⌨️ Input (IME)

📄 Scripts Info

🏠 Indic Matrix

🏠 Semitic Matrix

📄 Indic Roman

📄 Semitic Roman

📖 Sample Texts

🔧 Technical

Web API

Python package

Documentation

Website Plugin

Help

📥 Download

📄 About

🛠️ Other Tools

Tamil (Extended)

Dandas ... → । ॥	<i>Dot2Dandas</i>
Avoid Anusvara ஸம்வம் → ஸங்வம்	<i>TamilExtendedAnusvara</i>
Contextual ன முஜாநநந் → முஜானனன்	<i>TamilExtendedNNA</i>
Tamil Style -u -ū (Core Grantha) முஸுஹுஹு → முஸுமுஹு	<i>TamilStyleUUCore</i>
Tamil Style -u -ū (Tamilized Grantha) ஜுஸுஹுஹு → ஜுஸுமுஹு	<i>TamilStyleUUOther</i>

Chakma

Enable all conjuncts ꠘꠞ ꠘꠞ ꠘꠞ → ꠘꠞꠞꠞ	<i>ChakmaEnableAllConjuncts</i>
Enable independent i, u and e ꠘ ꠘ ꠘ → ꠘ ꠘ ꠘ	<i>ChakmaVowelsIndependent</i>
Pali orthography ꠘꠞꠞꠞ → ꠘꠞꠞꠞ	<i>ChakmaPali</i>

Newa (Nepal Bhasa)

Enable murmured consonants	<i>NewaMurmurConsonants</i>
Disable repha ꠘꠞꠞꠞ → ꠘꠞꠞꠞ	<i>NewaDisableRepha</i>
Special /ta/ conjunct ꠘꠞꠞꠞ → ꠘꠞꠞꠞ	<i>NewaSpecialTa</i>

🔤

Converter

⌨️

Input (IME)

⬆️

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

📝

Indic Roman

📝

Semitic Roman

📖

Sample Texts

🔧

Technical

Web API

Python package

Documentation

Website Plugin

Help

📥

Download

ℹ️

About

🛠️

Other Tools

Devanagari-based Newa font 𑂔𑂗𑂢𑂰 → 𑂔𑂗𑂢𑂰	<i>nepaldevafont</i>
---	----------------------

## Hebrew

Remove all Niqquds 𐤏 𐤐 𐤑 𐤒 → 𐤏 𐤐 𐤑 𐤒	<i>removeNikkud</i>
Use Qof ק ← 𐤑	<i>HebrewQoph</i>
Use Kamats Katan for Short /o/ וְ ← ֿוְ	<i>HebrewShortO</i>

## Nandinagari

Use Prishtamatra orthography 𑌶𑌰 𑌶𑌰 𑌶𑌰 𑌶𑌰 → 𑌶𑌰 𑌶𑌰 𑌶𑌰 𑌶𑌰	<i>NandinagariPrishtamatra</i>
---	--------------------------------

## Roman (Semitic)

Aleph as mater lectionis כ' → kā	<i>AlephMaterLectionis</i>
״ → ״	<i>alephAyinLatnAlternate</i>
״ → ׳׳	<i>alephAyinLatnAlternate2</i>

## Oriya (Odia)

𑂔 instead of 𑂔 𑂔𑂗𑂢𑂰 → 𑂔𑂗𑂢𑂰 (Enable preserve source)	<i>OriyaVaAlt</i>
𑂔 everywhere 𑂔𑂗𑂢𑂰 𑂔𑂗𑂢𑂰 → 𑂔𑂗𑂢𑂰 𑂔𑂗𑂢𑂰	<i>OriyaYYA</i>

🔤

Converter

🗂️

Input (IME)

⬆️

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

📝

Indic Roman

📝

Semitic Roman

📖

Sample Texts

🔧

Technical

Web API

Python package

Documentation

Website Plugin

Help

⬇️

Download

📖

About

🗂️

Other Tools

## Bengali (Bangla)

য everywhere যযাতি যজ্ঞ → যযাতি যজ্ঞ	<i>BengaliYYA</i>
ya → য & ya → য	<i>BengaliSwitchYaYYa</i>
Old Bengali /ra/ র → ৰ	<i>BengaliOldRA</i>
ৰ as /b/ & ব as /v/	<i>BengaliRaBa</i>
দৃঢ় আষাঢ় → দৃঢ় আষাঢ়	<i>BengaliIntervocalicDDA</i>
ংব → ৗব	<i>khandatabatova</i>

## Assamese

য everywhere যযাতি যজ্ঞ → যযাতি যজ্ঞ	<i>BengaliYYA</i>
ংব → ৗব	<i>khandatabatova</i>

## Khamti Shan

Myanmar numerals ၁၇၈ → ၁၇၈	<i>KhamiShanMyanmarNumerals</i>
Use ၁၇ ၁၇ → ၁၇	<i>KhamtiShanRa</i>

## Siddham

Variant vowel sign U ് കുറുപ്പു → കുറുപ്പു	<i>UseAlternateVSU</i>
Variant vowel sign UU ് കുറുപ്പു → കുറുപ്പു	<i>UseAlternateVSUU</i>

𑀘A

Converter

𑀓

Input (IME)

𑀀

Scripts Info

𑀓

Indic Matrix

𑀓

Semitic Matrix

𑀘✓

Indic Roman

𑀘✓

Semitic Roman

𑀓

Sample Texts

▼

𑀓

Technical

▲

Web API

Python package

Documentation

Website Plugin

Help

𑀓

Download

𑀓

About

𑀓

Other Tools

▼

Variant I 1 𑀓 → 𑀓	<i>UseAlternateI1</i>
Variant I 2 𑀓 → 𑀓	<i>UseAlternateI2</i>
Variant II 𑀓 → 𑀓	<i>UseAlternateII</i>
Variant U 𑀓 → 𑀓	<i>UseAlternateU</i>
MuktamSiddham font	<i>siddhammukta</i>

## Devanagari

Uttara Style अकृणभक्ष	<i>devanagariuttara</i>
Balbodh Style अकृणद्वक्ष	<i>devanagaribalbodh</i>
Nepali Style अकृणरुक्ष	<i>devanagarinepali</i>
Jain Style णमो सिद्धाणं	<i>devanagarijain</i>
Use Jain OM ॐ → ॐ	<i>jainomDevangari</i>
ँ → ँ	<i>DevanagariACandra</i>
Use Anusvara to nasalize पञ्चगङ्गा → पंचगंगा	<i>DevanagariAnusvara</i>
Prishthamatra orthography के कै को कौ → कां काि काा काो	<i>DevanagariPrishtamatra</i>

## Doqra

🔤

Converter

⌨️

Input (IME)

📄

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

📄

Indic Roman

📄

Semitic Roman

📖

Sample Texts

🔧

Technical

🌐

Web API

📦

Python package

📖

Documentation

🔌

Website Plugin

📖

Help

⬇️

Download

ℹ️

About

🛠️

Other Tools

Use Old Dogra forms ੴ ਤੇ ਅੜਾ → ੴ ਤੇ ਅੜਾ	<i>olddogra</i>
ਖ → ਘ	<i>DograShaKha</i>

## Takri

Medieval Takri orthography ਖ represents both /kha/ and /ṣa/	<i>TakriArchaicKha</i>
Avoid duplicated consonants Convert ੳੳੳੳ → ੳੳ	<i>TakriRemoveGemination</i>

## Punjabi (Gurmukhi)

Yakaash ਕ੍ਯ → ਕ੍ਯ	<i>GurmukhiYakaash</i>
Gurmukhi numerals 123 → ੧੨੩	<i>RetainGurmukhiNumerals</i>

## Thai

Thai orthography พุทธ → พุทธะ	<i>ThaiTranscription</i>
Sajjhāya orthography พุทธ → พุทธ	<i>ThaiSajjhayaOrthography</i>
Nativized sajjhaya พุทธ → พุทธิง	<i>ThaiSajjhayawithA</i>
Thai phonetic พุทธตว → บุตตะตวะ	<i>ThaiNativeConsonants</i>

🔤A

Converter

⌨️

Input (IME)

⬆️

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

📝✓

Indic Roman

📝✓

Semitic Roman

📖

Sample Texts

▼

🔧

Technical

⬆️

Web API

Python package

Documentation

Website Plugin

Help

⬇️

Download

📖

About

🛠️

Other Tools

▼

Sara a ະ as Visarga ନମ୍ବିଁ → ନମଃ	<i>ThaiVisargaSaraA</i>
-------------------------------------	-------------------------

### Lao (Pali)

Lao orthography ພຸທຸສ → ພຸທຸສະ	<i>LaoTranscription</i>
Sajjhāya orthography ພຸທຸສ → ພຸທ໌ສ	<i>LaoSajjhaya</i>
Nativized sajjhāya ພຸທຸສີ່ → ພຸທ໌ສັງ	<i>LaoSajjhayawithA</i>
Lao phonetic ພຸທຸສ → ປຸດສະ	<i>LaoPhonetic</i>

### Lao

Lao Nativization ພຸທຫັງ ຄ້າຈາມີ ສັບພັງ → ພຸດຫັງ ຄ້າສາມີ ສັບພັງ	<i>LaoNative</i>
---	------------------

### Tham (Lanna)

Shift Mai Kang Lai ᨧᩢ᩠ᨦᩉ᩠ᩅᩢᨶᩣ᩠ᩅ → ᨧᩢ᩠ᨦᩉ᩠ᩅᩢᨶᩣ᩠ᩅ	<i>ThamShiftMaiKangLai</i>
Tall -ā with ca/ba/ra/bha ᨧᩢ᩠ᨦᩉ᩠ᩅᩢᨶᩣ᩠ᩅ → ᨧᩢ᩠ᨦᩉ᩠ᩅᩢᨶᩣ᩠ᩅ	<i>ThamTallAOthers</i>
Disable explicit Tall -ā Font chooses the right form	<i>ThamTallADisable</i>

### Tham (Tai Lue)

Shift Mai Kang Lai	<i>ThamShiftMaiKangLai</i>
--------------------	----------------------------







## Converter



Input (IME)



## Scripts Info



## Indic Matrix



## Semitic Matrix



## Indic Roman



## Semitic Roman



## Sample Texts



## Technical



## Web API

## Python package

## Documentation

## Website Plugin

Help



Download



## About



## Other Tools



<p>Mongolian finals</p> <p>ak ag ad → <span>ᠠᠭᠠᠳᠠ</span></p>	<p><i>SoyomboFinals</i></p>
<p>Initial-form /ra/, /la/, /sa/</p> <p><span>ᠷᠠᠯᠠᠰᠠ</span> → <span>ᠷᠠᠯᠠ</span></p>	<p><i>SoyomboInitials</i></p>
<p>Use Tsheg</p> <p><span>ᠠᠭᠠᠳᠠ</span> → <span>ᠠᠭᠠᠳᠠᠰᠡᠭᠡ</span></p>	<p><i>SoyomboSpaceTsheg</i></p>

# Marchen

<p>Sanskrit palatals</p> <p>क ख ग घ ङ → च छ ज झ ञ</p>	<p><i>MarchenSanskritPalatals</i></p>
---	---------------------------------------

## Mongolian (Ali Gali)

<p>Syllabize input</p>	<p><i>MongolianSyllabize</i></p>
------------------------	----------------------------------

# Tibetan

Syllabize input ཀྲི་ལྷོ་ལྷོ་ལྷོ་ལྷོ་	<i>TibetanSyllabize</i>
Sanskrit palatals པ མ ར ལ ལྷ ལྷོ ལྷོ ལྷོ ལྷོ	<i>TibetanSanskritPalatals</i>
Bindu with nada< ཨྀ ཨཱྀ ཨྃ	<i>TibetanNada</i>
Use space ན་མོ་ ལྷོ་མོ་	<i>TibetanTsheg</i>
Dbu Med (Ume) style ལྷོ་ལྷོ་ ལྷོ་ལྷོ་	<i>tibetandbumed</i>

## Sinhala

Sanskrit/Pali Orthography නමෝ භගවතේ → නමො භගවතෙ	<i>SinhalaPali</i>
Enable all conjuncts බුද්ධස්ස → බුඬසස	<i>SinhalaConjuncts</i>

## Telugu

Arasunna as Chandrabindu హ్నా → హ్నాఁ	<i>TeluguArasunnaChandrabindu</i>
Telugu repha (Valapala Gilaka) ధర్మ → ధర్మః	<i>TeluguReph</i>
Telugu Nakaara Pollu భగవన్ → భగవః	<i>TeluguNakaraPollu</i>
Tamil-Style Zha ఆహ్వాన్ → ఆహ్వాన్	<i>TeluguTamilZha</i>
Tamil-Style Rra ఆఱ్ఱు → ఆర్ర్రు	<i>TeluguTamilRra</i>
Dandas ... → । ॥	<i>RetainTeluguDanda</i>
Telugu Numerals 123 → ౧౨౩	<i>RetainTeluguNumerals</i>

## Gujarati

Dandas ... → । ॥	<i>RetainGujaratiDanda</i>
---------------------	----------------------------

## PhagsPa



Converter



Input (IME)



Scripts Info



Indic Matrix



Semitic Matrix



Indic Roman



Semitic Roman



Sample Texts



Technical



Web API

Python package

Documentation

Website Plugin

Help



Download



About



Other Tools





Converter



Input (IME)



Scripts Info



Indic Matrix



Semitic Matrix



Indic Roman



Semitic Roman



Sample Texts



Technical



Web API

Python package

Documentation

Website Plugin

Help



Download




About



Other Tools




Tibetan style



*PhagsPaTib*

Seal style



*PhagsPaSeal*

## Kannada

Dandas ... →	<i>RetainKannadaDanda</i>
Avoid Repha ಧರ್ಮ → ಧರ್ಮ	<i>KannadaNotRepha</i>
Kannada Nakaara Pollu ಭಗವನ್ → ಭಗವಃ	<i>KannadaNakaraPollu</i>
Use spacing Chandrabindu ಯಹ್ಲ → ಯಹ್ಲಃ	<i>KannadaSpacingCandrabindu</i>
Kannada Numerals 123 → ೧೨೩	<i>RetainKannadaNumerals</i>

## Grantha

Grantha old AU vowel sign ಕುಲ → ಕುಲಃ	<i>GranthaOldau</i>
Prakrit orthography ಉಖಂ → ಉಖಂ	<i>GranthaPrakrit</i>
Other final forms ಫಿಹ್ → ಫಿಹ್	<i>granthafinal</i>
Noto Serif Grantha	<i>granthaserif</i>

↻A

Converter

IME

Input (IME)

▲

Scripts Info

𑀩𑀭𑀮

Indic Matrix

𐤀𐤃𐤅

Semitic Matrix

A✓

Indic Roman

A✓

Semitic Roman

📖

Sample Texts

▼

🔑

Technical

▲

Web API

Python package

Documentation

Website Plugin

Help

⬇️

Download

ℹ️

About

🧩

Other Tools

▼

ബാലം → ബാലം	
E-Grantamil encoding	<i>egrantamil</i>

## Urdu

Remove short vowels ہُنْدُوِسْتَانُ ← ہندوستان	<i>UrduRemoveShortVowels</i>
---	------------------------------

## Shahmukhi

Remove short vowels ہُنْدُوِسْتَانُ ← ہندوستان	<i>UrduRemoveShortVowels</i>
---	------------------------------

## Roman (IAST)

Capitalize sentences	<i>capitalizeSentence</i>
Anusvara to nasal gaṃgā → gaṅgā	<i>AnusvaratoNasalASTISO</i>
Use tilde for nasalization kāṃ gāṃ → kã gã	<i>NasalTilde</i>
ṃ → ṁ	<i>mDotAboveToBelow</i>

## Roman (IAST: Pāṭi)

Capitalize sentences	<i>capitalizeSentence</i>
Anusvara to nasal gaṃgā → gaṅgā	<i>AnusvaratoNasalASTISO</i>
ṃ → ṁ	<i>mDotAboveToBelow</i>

## Cyrillic (Russian)



## Warang Citi

Capitalize sentences	<i>capitalizeSentence</i>
----------------------	---------------------------

# Kaithi

Retain spaces	<i>KaithiRetainSpace</i>
---------------	--------------------------

# Bhaiksuki

Retain spaces	<i>BhaiksukiRetainSpace</i>
---------------	-----------------------------

# Limbu

SA-I for vowel length Ṽ → ̄	<i>LimbuSpellingSaI</i>
--------------------------------	-------------------------

## Sundanese

<p>Archaic conjuncts</p> <p><math>ᮊᮧᮞ ᮊᮧᮞ ᮕᮊᮧ ᮕᮊᮧ \rightarrow ᮊᮊ ᮕᮊᮧ ᮕᮊᮧ</math></p>	<p><i>SundaneseHistoricConjuncts</i></p>
---	--

## Malayalam

Dot reph ധർമ → ധർമ്	<i>dotReph</i>
Double consonants after reph ധർമ → ധർമ്മ	<i>RephaDoubleMalayalam</i>
Archaic II & AU ഇൗ കൗ → ഐ കൌ	<i>archaicAIAU</i>
Traditional orthography തു തൂ → തൂ തൂ	<i>tradOrtho</i>



## Converter



Input (IME)



## Scripts Info



## Indic Matrix



## Semitic Matrix



## Indic Roman



## Semitic Roman



## Sample Texts



## Technical

## Web API

## Python package

## Documentation

## Website Plugin

Help



Download



## About



## Other Tools



## Converter



Input (IME)



## Scripts Info



## Indic Matrix



## Semitic Matrix



## Indic Roman



## Semitic Roman



## Sample Texts



## Technical



## Web API

## Python package

## Documentation

## Website Plugin

Help



Download



## About



## Other Tools



Prakrit orthography ബുദ്ധ → ബുധ	<i>MalayalamPrakrit</i>
Dandas ... → । II	<i>RetainMalayalamDanda</i>
Malayalam numerals 123 → ൧൨൩	<i>RetainMalayalamNumerals</i>

## Zanabazar Square

Sanskrit palatals ᠰ ᠠᠨᠳᠤᠯᠠᠲᠤᠰ → ᠰ ᠠᠨᠳᠤᠯᠤᠰ	ZanabazarSanskritPalatals
Tsheg ᠱᠡᠭ → ᠱᠡᠭ	ZanzabarSpaceTsheg
Contextual ya/ra/la/va & Repha ᠶᠢ ᠷᠠ ᠯᠠ ᠪᠠ ᠶᠢ ᠷᠠ ᠯᠠ ᠪᠠ → ᠶᠢ ᠷᠠ ᠯᠠ ᠪᠠ ᠶᠢ ᠷᠠ ᠯᠠ ᠪᠠ	ZanabazarSquareContextual
Alternate ai/au ᠠᠢ ᠠᠤ → ᠠᠢᠠᠣ	ZanabazarSquareAiAu
Mongolian final-mark ᠮᠤᠩᠭᠣᠯᠢᠨ → ᠮᠤᠩᠭᠣᠯᠢᠨ	ZanabazarSquareMongolianFinal

## Sogdian

Use $\succ$ ( <i>Resh-Ayin</i> ) for Ayin	<i>SogdReshAyin</i>
---	---------------------

## Old Sogdian

Use $\succ$ ( <i>Resh-Ayin-Dalesh</i> ) for Ayin	<i>SogoReshAyinDaleth</i>
--	---------------------------

## Hebrew (Judeo-Arabic)



↻A

Converter

IME

Input (IME)

▲

Scripts Info

𑌕

Indic Matrix

𐤕

Semitic Matrix

A✓

Indic Roman

A✓

Semitic Roman

📖

Sample Texts

▼

🔑

Technical

▲

Web API

Python package

Documentation

Website Plugin

Help

⬇

Download

ℹ

About

🛠

Other Tools

▼

λ ← 𑌕	<i>gainGimel</i>
ᳵ ← 𑌕	<i>tavTwodot</i>
ᳶ ← 𑌕	<i>tavThreedot</i>
᳷ ← 𑌕	<i>qafTwodot</i>

## Pre Options

### Tamil

Transcribe Tamil (Standard) மதம், பேசு → madam, pēsu	<i>TamilTranscribe</i>
Transcribe Tamil (Dialectal) மதம், பேசு → madam, pēṣu	<i>TamilTranscribeDialect</i>
க2 க3 க4 → க² க³ க⁴	<i>TamilNumeralSub</i>

### Roman (ITRANS)

E/O for long, e/o for short	<i>swapEeItrans</i>
-----------------------------	---------------------

### Burmese (Myanmar)

Segment Burmese Syllables လေထဲပျော် → လေ ထဲ ပျော်	<i>segmentBurmeseSyllables</i>
--	--------------------------------

### Roman (ISO 15919 Indic)

Treat e/o as long	<i>longEOISO</i>
tat tvam asi → tattvamasī	<i>joinVowelConsISO</i>



Converter



Input (IME)



Scripts Info



Indic Matrix



Semitic Matrix



Indic Roman



Semitic Roman



Sample Texts



Technical



Web API

Python package

Documentation

Website Plugin

Help



Download



About



Other Tools



## Roman (IAST)

<i>tat tvam asi → tattvamasī</i>	<i>joinVowelConsIAST</i>
----------------------------------	--------------------------

## Japanese (Hiragana)

<i>/ou/ and /ei/ diphthongs not /ē/ and /ō/</i>	<i>eiaudiphthongs</i>
<i>/w/ as /v/</i>	<i>wasvnukta</i>

## Japanese (Katakana)

<i>/ou/ and /ei/ diphthongs not /ē/ and /ō/</i>	<i>eiaudiphthongs</i>
<i>/w/ as /v/</i>	<i>wasvnukta</i>

## Roman (Harvard-Kyoto)

<i>E/O for long, e/o for short</i>	<i>swapEe</i>
------------------------------------	---------------

## Roman (Velthuis)

<i>E/O for long, e/o for short</i>	<i>swapEe</i>
------------------------------------	---------------

## Limbu

<i>SA-I for vowel length</i>	<i>LimbuSpellingSaI</i>
------------------------------	-------------------------

## Thai

Thai orthography text e.g. พระ	<i>ThaiOrthography</i>
Sajjhāya orthography text	<i>ThaiSajjhayaOrthography</i>

🔤 A

Converter

🗂️

Input (IME)

⬆️

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

✓ A

Indic Roman

✓ A

Semitic Roman

📖

Sample Texts

▼

🔧

Technical

⬆️

Web API

Python package

Documentation

Website Plugin

Help

⬇️

Download

📘

About

🗂️

Other Tools

▼

e.g. พุทธ	
Nativized Sajjhāya text e.g. พุทธะ	<i>ThaiSajjhayawithA</i>
Thai Phonetic text e.g. ตะตุระ ราชะ	<i>ThaiPhonetic</i>

Lao (Pali)

Lao orthography text e.g. ພຸທະ	<i>LaoTranscription</i>
Sajjhāya orthography text e.g. ພຸທັສ	<i>LaoSajhayaOrthography</i>
Nativized Sajjhāya text e.g. ພຸທັສະ	<i>LaoSajhayaOrthographywithA</i>
Lao Phonetic text e.g. ປຸຕະຕຸຣະ	<i>LaoPhonetic</i>

Devanagari

Schwa deletion (Hindi) राम → rām, सबसे → sabse	<i>RemoveSchwaHindi</i>
Anusvara and Chandrabindu equivalent	<i>AnuChandraEqDeva</i>

Gujarati

Schwa deletion (Only word-final) राम → rām	<i>SchwaFinalGujarati</i>
---	---------------------------

Assamese

↻A

Converter

⌨

Input (IME)

▲

Scripts Info

▮▮

Indic Matrix

▮▮

Semitic Matrix

A✓

Indic Roman

A✓

Semitic Roman

📖

Sample Texts

▼

🔧

Technical

▲

Web API

Python package

Documentation

Website Plugin

Help

⬇

Download

ⓘ

About

🗂

Other Tools

▼

Schwa deletion (Only word-final) রাম → rām	<i>SchwaFinalBengali</i>
য → ÿa & য → ya	<i>BengaliSwitchYaYYa</i>
Show Khanda TA উৎকল → ut_kala	<i>ShowKhandaTa</i>

Bengali (Bangla)

Schwa deletion (Only word-final) রাম → rām	<i>SchwaFinalBengali</i>
য → ÿa & য → ya	<i>BengaliSwitchYaYYa</i>
Show Khanda TA উৎকল → ut_kala	<i>ShowKhandaTa</i>

Punjabi (Gurmukhi)

Schwa deletion (Only word-final) ਰਾਮ → rām>	<i>SchwaFinalGurmukhi</i>
--	---------------------------

Warang Citi

Schwa deletion (Only word-final) 𑂣𑂩𑂰 → rām	<i>SchwaFinalWarangCiti</i>
---	-----------------------------

Grantha

Prakrit orthography e.g. 𑀕𑀺𑀭𑀸𑀓	
E-Grantamil encoding	<i>egrantamil</i>

🔤

Converter

⌨️

Input (IME)

⬆️

Scripts Info

🏠

Indic Matrix

🏠

Semitic Matrix

↕️

Indic Roman

↕️

Semitic Roman

📖

Sample Texts

🔧

Technical

Web API

Python package

Documentation

Website Plugin

Help

⬇️

Download

ℹ️

About

🗂️

Other Tools

## Sinhala

Sanskrit/Pali orthography text e.g. නමො භගවතෙ	<i>SinhalaPali</i>
--	--------------------

## Malayalam

Show Chillus ധർമ്മൻ → /dhar_man_/ not /dharman/	<i>ShowChillus</i>
Prakrit orthography text e.g. ബുധ്	<i>MalayalamPrakrit</i>
Transcribe <i>Samvrutokara</i> (extra-short-u) e.g. അവൻ അവന് → avan avan̆	<i>MalayalamHalfu</i>
Transcribe Malayalam e.g. കൊടുങ്കാട് → kōḍuṅgāḍṭṭu	<i>MalayalamTranscribe</i>

## Siddham

Devanagari-based Siddham font	<i>siddhammukta</i>
-------------------------------	---------------------

## Cyrillic (Russian)

Pali Text	<i>CyrillicPali</i>
-----------	---------------------

## Urdu

Short vowels not shown	<i>UrduShortNotShown</i>
------------------------	--------------------------

## Arabic

/ج/ as /g/	<i>ArabicGimelJa</i>
------------	----------------------



Converter



Input (IME)



Scripts Info



Indic Matrix



Semitic Matrix



Indic Roman



Semitic Roman



Sample Texts



Technical



Web API

Python package

Documentation

Website Plugin

Help



Download



About



Other Tools



Assume /Sukun/ at end of word

'l̥x̥muḥṭīt̥ 'l̥x̥hin̥x̥diy̥x̥: ← المَحِيط الهِنْدِيّ

*removeFinalSchwaArab*

## Persian

Assume /Jazm/ at end of word

'but̥ ← بُتْ

*removeFinalSchwaArab*

## Sogdian

Disambiguate 𐭮 (Resh-Ayin) as [r-']

*SogdReshAyin*

## Old Sogdian

Disambiguate 𐭮 (Resh-Ayin-Daleth) as [r-ʿd]

*SogoReshAyinDaleth*

## Psalter Pahlavi

Disambiguate 𐭪 (Mem-Quoph) as [m-q]

*PhlpMemQoph*

Disambiguate 𐭪 (Waw-Ayin-Resh) as [w-ʿr]

*PhlpWawAyinResh*

## Inscriptional Pahlavi

Disambiguate 𐭪 (Waw-Ayin-Resh) as [w-ʿr]

*PhliWawAyinResh*

## Hatran

Disambiguate 𐭪 (Daleth-Resh) as [d-r]

*HatrDalethResh*

## Shahmukhi

